Cannalysis Headquarters 1801 Carnegie Ave Santa Ana , CA 92705 C8-18-0000031-TEMP

Cannalysis CERTIFICATE OF ANALYSIS

SAMPLE INFORMATION

Sample Name: 25mg Sleep Tablet 51083 Sample Id: Received: 07/18/2018 18:19 Serv. Per Sample: 1

Sample Matrix: Collected: Serving Size: **Overall Result:**

Edible 07/18/2018 15:35 1 capsule N/A

CANNABINOID ANALYSIS

• Total THC,CBD and Cannabinoid value(s) have been decarboxylated.

TOTAL THC: TOTAL CBD: TOTAL CANNABINOIDS: ND per serving (ND) (ND) 28.3 mg per serving (66.0 mg/g) (6.60 %) 28.3 mg per serving (66.0 mg/g) (6.60 %)

| TEST TYPE RESULT: UNIT OF MEASUREMENT: | | N/A Milligrams per Gram(mg/g) | | |
|---|--------|----------------------------------|-------|---------|
| ANALYTE | RESULT | LOD | LLOQ | ANALYTE |
| D9THC | ND 5 | 0.500 | 1.000 | D8THC |
| ГНСа | ND | 0.500 | 1.000 | CBG |
| CBN | ND | 0.500 | 1.000 | CBD |
| CBDa | ND | 0.500 | 1.000 | CBGa |
| THCv | ND | 0.500 | 1.000 | CBC |
| CBDv | ND | 0.500 | 1.000 | |

Method: SOP-TECH-001 HPLC-DAD

Instrument:

Sample Prepped 07/21/2018 12:56 Sample Analyzed

07/21/2018 14:38

RESULT

66.0 mg/g (6.60 %)

ND

ND

ND

ND

07/23/2018 09:14 Sample Approved

LLOO

1.000

1.000

1.000

1.000

1.000

LOD

0.500

0.500

0.500

0.500

0.500



www.cannalysislabs.com (949) 329-TEST

Page 1 of 2 Sample ID: 51083

CofA Document#: COA-00016057 ISO/IEC 17025:2005 Accredited (#93948)

MedTerra

Cannalysis Headquarters 1801 Carnegie Ave Santa Ana , CA 92705 C8-18-0000031-TEMP

Cannalysis CERTIFICATE OF ANALYSIS

This report replaces the previous version with CofA Certificate#: COA-00016016.

This report applies to the sample investigated and is not necessarily indicative of the quality or condition of apparently identical or similar products. This report provides technical results for a specic sample and the report shall not be altered, modied, supplemented, or abstracted in any manner. Any violation of these conditions renders the report and its results void.

DATA REVIEWED AND APPROVED BY

0

Swetha Kaul, PhD Chief Scientific Officer

Date

07/23/2018



www.cannalysislabs.com (949) 329-TEST Page 2 of 2 Sample ID: 51083 CofA Document#: COA-00016057 ISO/IEC 17025:2005 Accredited (#93948)

MedTerra